

CASHWOOL® UNITI

Nm. 2/30 - Nm. 2/36 - Nm. 2/48
100% (WV) lana extrafine (19,5 µ)



“Solidità colori”: secondo le norme Woolmark.
Eventuali esigenze particolari andranno specificate all'atto dell'ordine.

“Quantità ottimali”: scatole da Kg. 24.
Per colli di peso inferiore vengono applicati supplementi per minimi.

CASHWOOL® SOLID

Nm. 2/30 - Nm. 2/36 - Nm. 2/48
100% (WV) extrafine wool (19,5 µ)



“Colour fastness”: as per Woolmark specifications.
Any other special fastness should be expressly requested.
“Optimum quantity”: package of about 24 Kgs.
An extra charge will be required for cartons of inferior weight.

CASHWOOL® MELANGE

Nm. 2/30 - Nm. 2/36 - Nm. 2/48



CASHWOOL® MELANGE

Nm. 2/30 - Nm. 2/36 - Nm. 2/48



CASHWOOL® SUPERMELANGE

Nm. 2/30 - Nm. 2/36 - Nm. 2/48



“Supermélange”

Nuovi effetti cromatici melange ottenuti grazie allo sviluppo di una tecnologia innovativa che consente una diversa e più completa miscelatura delle fibre colorate.

CASHWOOL® SUPERMELANGE

Nm. 2/30 - Nm. 2/36 - Nm. 2/48



“Supermélange”

New melange colour effects, achieved by using a new innovative technology that enables us to create new, different and better blends of coloured fibres.

IMPIEGO

Nm. 2/30
Cotton 21-24 GG Rett. Fin. 12-14 a 1 capo
Cotton 12 GG Rett. Fin. 7-8 a 2 capi

Nm. 2/36
Cotton 24-27 GG Rett. Fin. 12-14 a 1 capo

Nm. 2/48
Cotton 27-30 GG Rett. Fin. 14-16 a 1 capo
Cotton 21 GG Rett. Fin. 12 a 2 capi
Rett. Fin. 14 Jacquard a 1 capo

KNITTING

Nm. 2/30
F.F. Cotton 21-24 GG Flat Machine 12-14 1 Ply
F.F. Cotton 12 GG Flat Machine 7-8 2 Ply

Nm. 2/36
F.F. Cotton 24-27 GG Flat Machine 12-14 1 Ply

Nm. 2/48
F.F. Cotton 27-30 GG Flat Machine 14-16 1 Ply
F.F. Cotton 21 GG Flat Machine 12 2 Ply
Flat Machine 14 Jacquard 1 Ply

FINISSAGGIO

Con un semplice stiro e con abbondante vaporizzo si ottiene un ottimo aspetto della maglia.

Per esaltare al meglio la sofficità e la gonfiezza del filato si consiglia una leggera follatura in acqua per 3-5 minuti con ammorbidente al 2-3% sul peso della mece, ad una temperatura non superiore a 35° gradi.

Centrifugare, asciugare in tumbler a 80° gradi in 15 minuti senza essicare. Finire stirando con abbondante vapore.

FINISHING

A normal pressing with a lot of steam will give an excellent regular effect. To enhance softness and bulkiness of the yarn, we suggest a light milling for 3-5 minutes in water using a wool softener in the ratio of 2-3% of the garment's weight, at a temperature of less than 35°C.

After milling, centrifuge and tumbler dry at a temperature around 80° C for 15 Minutes. Avoid overdrying garments, press with a lot of steam.



Associazione Tessile e Salute


I nostri articoli soddisfano tutti i requisiti di Tessile e Salute.

1


2

3


A



028145



421433 ●
supermelange



421745 ●
supermelange


B



027818



441316 M ●



420939 ●
supermelange

C



441882 M ●



442191 M ●



440988 M ●

D



442841 M ●



441618 M ●




421436 ●*
supermelange


E



443351 M ●




025628 ●




420991 M ●

4




027969

5




421746 ●
supermelange

6




028127


A



027909



027995



028092

B



421425 ●*
supermelange



421015 M ●




028093


C



420942 ●*
supermelange




442842 M ●*



028091


D



028079




027098



421512 ●
supermelange


E

7




203785

8




028075


9



027938




421921
supermelange




027955



205892



028082



027956



027841



421928
supermelange



027957



444791 M



028123



027136




441705 M ●

10

11

12




A

421845
supermelange

027844

443349 M ●




B

028112

027845

028077





C

421757 ●
supermelange

444803 M ●

421850
supermelange





D

028118

027846

442873 M ●




E

027096

025158


027218

13




028161

14




442197 M ●

15




028157




421925
supermelange



028124



028150




028110




441250 M ●



421917
supermelange



027961



028125



028164



442232 M




027734




421929
supermelange

16



027945

17




028094

18




028066

A



027727




027932




028132


B



028060




028103



028034

C



421919
supermelange



421423 ●
supermelange



442677 M ●

D



027993




444790 M ●



421923

E

19



027884

20



028101

21



421752 ●
supermelange



028115



027721



442483 M ●*



028081



421764
supermelange



441657 M ●



028099



028102



000527 ●*



025752



441620 M ●




442195 M ●

22




001254

23



421769 ●
supermelange

24



027918

A

B


C

D


E



008764 ●




028078



028030



008768 ●



442619 M ●



028048




442196 M ●




421918
supermelange



027963



026672 ●



421424 ●
supermelange




443640 M ●

25



027972

26



421920
supermelange

27



027836



443352 M




027930




442688 M ●




441315 M ●




204609




026809 ●



441477 M ●




027973



027983



027979



028088



027984

28

29

30

A



028117



205839



441999 M

B



442422 M ●



027838



444391 M ●

C



421503 ●
supermelange



027284



028104

D



028122




025275




027959


E



027986



008800 ●*




008802 ●

31

32


33



421506 ●
supermelange



421420 ●*
supermelange




421669 ●
supermelange



441614 M ●



441410 M ●



421751 ●
supermelange




421930
supermelange



441702 M ●



421760 ●
supermelange




441269 M ●




442194 M ●*



421505 ●
supermelange



442255 M




444789 M




441706 M

34




421759
supermelange

35




421768
supermelange

36




027144


A



443114 M ●



421508 ●*
supermelange



027147

B



421428 ●*
supermelange




421134
supermelange




026976


C



420426 M ●*




420964 M ●



027046


D



421605 ●*
supermelange




099070 ●*



027862


E

37




421607 ●*
supermelange

38




421770 ●
supermelange


39




099054 ●*




421926
supermelange




420266 ●*
supermelange




027865



421507 ●
supermelange



421135 ●
supermelange




001205 ●




421426 ●
supermelange



442000 M ●




420702 *
supermelange



441142 M ●



421849
supermelange



420667 ●
supermelange

INDEX

●* 000527 21/D	027938 9/A	028112 10/B	S●* 421436 3/D	M● 441315 25/C
● 001205 39/C	027945 16/A	028115 19/B	S● 421503 28/C	M● 441316 2/B
001254 22/A	027955 8/B	028117 28/A	S● 421505 33/D	M● 441410 32/B
● 008764 22/B	027956 8/C	028118 10/D	S● 421506 31/A	M● 441477 25/D
● 008768 22/C	027957 8/D	028122 28/D	S● 421507 37/C	M● 441614 31/B
●* 008800 29/E	027959 30/D	028123 7/E	S●* 421508 35/B	M● 441618 2/D
● 008802 30/E	027961 13/D	028124 14/B	S● 421512 6/E	M● 441620 20/E
025158 11/E	027963 24/D	028125 14/D	S●* 421605 34/E	M● 441657 21/C
025275 29/D	027969 4/A	028127 6/A	S●* 421607 37/A	M● 441702 32/C
● 025628 2/E	027972 25/A	028132 18/B	S● 421669 33/A	M● 441705 9/E
025752 19/E	027973 26/D	028145 1/A	S● 421745 3/A	M 441706 33/E
● 026672 22/E	027979 25/E	028150 15/B	S● 421746 5/A	M● 441882 1/C
● 026809 27/C	027983 27/D	028157 15/A	S● 421751 33/B	M 441999 30/A
026976 36/C	027984 27/E	028161 13/A	S● 421752 21/A	M● 442000 38/D
027046 36/D	027986 28/E	028164 15/D	S● 421757 10/C	M● 442191 2/C
027096 10/E	027993 16/E	●* 099054 39/A	S 421759 34/A	M●* 442194 32/D
027098 5/E	027995 5/B	●* 099070 35/E	S● 421760 33/C	M● 442195 21/E
027136 8/E	028030 24/B	203785 7/A	S 421764 20/C	M● 442196 22/D
027144 36/A	028034 18/C	204609 26/C	S 421768 35/A	M● 442197 14/A
027147 36/B	028048 24/C	205839 29/A	S● 421769 23/A	M 442232 13/E
027218 12/E	028060 16/C	205892 9/B	S● 421770 38/A	M 442255 31/E
027284 29/C	028066 18/A	S●* 420266 38/B	S 421845 10/A	M● 442422 28/B
027721 20/B	028075 8/A	M●* 420426 34/D	S 421849 38/E	M●* 442483 21/B
027727 16/B	028077 12/B	S● 420667 39/E	S 421850 12/C	M● 442619 23/C
027734 14/E	028078 23/B	S* 420702 39/D	S 421917 15/C	M● 442677 18/D
027818 1/B	028079 4/E	S● 420939 3/B	S 421918 23/D	M● 442688 27/B
027836 27/A	028081 19/C	S●* 420942 4/D	S 421919 16/D	M● 442841 1/D
027838 29/B	028082 7/C	M● 420964 35/D	S 421920 26/A	M●* 442842 5/D
027841 9/C	028088 26/E	M● 420991 3/E	S 421921 7/B	M● 442873 12/D
027844 11/A	028091 6/D	M● 421015 5/C	S 421923 18/E	M● 443114 34/B
027845 11/B	028092 6/B	S 421134 35/C	S 421925 13/B	M● 443349 12/A
027846 11/D	028093 6/C	S● 421135 38/C	S 421926 37/B	M● 443351 1/E
027862 36/E	028094 17/A	S●* 421420 32/A	S 421928 7/D	M 443352 25/B
027865 39/B	028099 19/D	S● 421423 17/D	S 421929 15/E	M● 443640 24/E
027884 19/A	028101 20/A	S● 421424 23/E	S 421930 31/C	M● 444391 30/B
027909 4/B	028102 20/D	S●* 421425 4/C	M● 440988 3/C	M 444789 32/E
027918 24/A	028103 17/C	S● 421426 37/D	M● 441142 37/E	M● 444790 17/E
027930 26/B	028104 30/C	S●* 421428 34/C	M● 441250 14/C	M 444791 9/D
027932 17/B	028110 13/C	S● 421433 2/A	M● 441269 31/D	M● 444803 11/C

CASHWOOL®

Nm. 2/30

100% (WV) LANA EXTRAFINE (19,5 Micron)



“Solidità colori alla luce per tonalità pastello”: secondo le norme Woolmark.

Eventuali esigenze particolari andranno specificate all'atto dell'ordine.

IMPIEGO

NM. 2/30

Cotton 21-24 GG	Rett. Fin. 12-14	a 1 capo
Cotton 12 GG	Rett. Fin. 7-8	a 2 capi

FINISSAGGIO

Con un semplice stiro e con abbondante vaporizzo si ottiene un ottimo aspetto della maglia.

Per esaltare al meglio la sofficità e la gonfiezza del filato si consiglia una leggera follatura in acqua per 3-5 minuti con ammorbidente al 2-3% sul peso della merce, ad una temperatura non superiore a 35° gradi.

Centrifugare, asciugare in tumbler a 80° gradi in 15 minuti senza essiccare. Finire stirando con abbondante vapore.

CASHWOOL®

Nm. 2/30

100% (WV) EXTRAFINE WOOL (19,5 Micron)



“Colour fastness to light for pastel colours”: according to Woolmark specifications.

Any other special fastness should be expressly requested.

KNITTING

NM. 2/30

F.F. Cotton 21-24 GG	Flat Machine 12-14	1 Ply
F.F. Cotton 12 GG	Flat Machine 7-8	2 Plies

FINISHING

A normal pressing with a lot of steam will give an excellent regular effect. To enhance softness and bulkiness of the yarn, we suggest a light milling for 3-5 minutes in water using a wool softener in the ratio of 2-3% of the garment's weight, at a temperature of less than 35° c.

After milling, centrifuge and tumbler dry at a temperature around 80° c for 15 minutes.

Avoid overdrying garments, press with a lot of steam.



INDEX

027116	1A	027841	4B	027941	3B
027727	2C	027855	5B	27942	4A
027728	6B	027856	4E	027948	3A
027738	5A	027892	2A	027990	2B
027833	1C	027896	6A	204816	4D
027835	1D	027927	1B	205892	4C

1 2 3 4 5 6



027116



027927



027833



027835



027892



027990



027727




027948



027941




27942



027841



205892



204816



027856



027896



027728



027738



027855

A

B

C

D

E

CASHWOOL®

Nm. 2/30

100% (WV) LANA EXTRAFINE (19,5 Micron)



“Solidità colori alla luce per tonalità pastello”: secondo le norme Woolmark.

Eventuali esigenze particolari andranno specificate all'atto dell'ordine.

IMPIEGO

NM. 2/30

Cotton 21-24 GG	Rett. Fin. 12-14	a 1 capo
Cotton 12 GG	Rett. Fin. 7-8	a 2 capi

FINISSAGGIO

Con un semplice stiro e con abbondante vaporizzo si ottiene un ottimo aspetto della maglia.

Per esaltare al meglio la sofficità e la gonfiezza del filato si consiglia una leggera follatura in acqua per 3-5 minuti con ammorbidente al 2-3% sul peso della merce, ad una temperatura non superiore a 35° gradi.

Centrifugare, asciugare in tumbler a 80° gradi in 15 minuti senza essiccare. Finire stirando con abbondante vapore.

CASHWOOL®

Nm. 2/30

100% (WV) EXTRAFINE WOOL (19,5 Micron)



“Colour fastness to light for pastel colours”: according to Woolmark specifications.

Any other special fastness should be expressly requested.

KNITTING

NM. 2/30

F.F. Cotton 21-24 GG	Flat Machine 12-14	1 Ply
F.F. Cotton 12 GG	Flat Machine 7-8	2 Plies

FINISHING

A normal pressing with a lot of steam will give an excellent regular effect. To enhance softness and bulkiness of the yarn, we suggest a light milling for 3-5 minutes in water using a wool softener in the ratio of 2-3% of the garment's weight, at a temperature of less than 35° c.

After milling, centrifuge and tumbler dry at a temperature around 80° c for 15 minutes.

Avoid overdrying garments, press with a lot of steam.



INDEX

003663	2C	027877	3A	027994	2A
027005	5A	027878	3B	099054	1A ⁸
027865	1B	027879	3C	154177	1C
027868	5B	027880	4A	156793	6C
027871	6B	027881	4B	157059	6A
027874	2B	027882	4C	157084	5C

1 2 3 4 5 6



099054



027865



154177



027994



027874



003663



027877



027878



027879



027880



027881



027882



027005



027868



157084



157059



027871



156793

A

B

C