

BERING

Nm. 2/60

50% (WV) LANA MERINO EXTRAFINE (19,5 µ)
50% (VI) VISCOSA

* Colori Disponibili

Impiego: Macchina Rettilezza fin. 16-18 Cotton 30 gg.



FINISSAGGIO

Dettagli di finissaggio sono disponibili su richiesta.

QUANTITÀ OTTIMALI

Colori disponibili: a partire da kg. 1,
collo ideale kg. 20 ca.

Supplementi per colli di peso inferiore.

Colori uniti non disponibili o a campione:

kg. 6-12-16-26-30-36-40-48-55-60-70-100-120-132-144-250

SOLIDITÀ COLORI:

CONFORMITÀ NORMATIVA REACH

CONFORMITÀ NORMATIVA GB 18401

(Categoria B: prodotti a contatto diretto con la pelle)

PER USO IN RIGATO CON COLORI CONTRASTANTI
RICHIEDERE SOLIDITÀ SPECIFICA.

Eventuali esigenze particolari andranno specificate all'atto
dell'ordine.

Non tutti i toni possono essere riprodotti fedelmente.

È possibile inoltre, in alcuni casi, che si manifesti un
leggero effetto melange.

Qualora venga confermato un difetto del filo, non saranno
riconosciuti danni per quantità smaccinate oltre il 10% in peso
della quantità consegnata.

Per capi rigati lavare a secco



BERING

Nm. 2/60

50% (WV) EXTRAFINE MERINO WOOL (19,5 µ)
50% (VI) VISCOSE

* Available Colours

Applications: Flat machine 16-18 Cotton 30 gg.



FINISHING

Finishing details are available on request.

IDEAL QUANTITIES

Available colours: starting from 1 kg. each,
standard box approximately kgs. 20

Surcharge for cartons of inferior weight.

Non available or custom solid colours:

kgs. 6-12-16-26-30-36-40-48-55-60-70-100-120-132-144-250

COLOURS FASTNESS:

REACH REGULATION

GB 18401 REGULATION COMPLIANCE

(Category B: products directly in contact with the skin)

IN CASE OF STRIPED OR CONTRAST KNITWEAR A
SPECIFIC DYEING FASTNESS MUST BE ASKED.

Any other special need should be expressly requested.

It may be difficult to exactly reproduce all requested shades
and, occasionally, a slight melange effect may occur.

If it's confirmed as a yarn defect, we will not accept any claims
for any knitted quantity over 10% of the delivered weight.

In case of striped knitwear
drycleaning is recommended



ID Nr. 4S-100277



available in RWS version
on request



1

2

3

A



099054



215118



029293



B



001205
*



290744



215114


C



211924



029162



215121

D



215129



027919



215116

4

5

6


A



029342



215134



255747

B



215119



255673



215141

C



029512




255753



028077

D



028512



211838



210720

7

8

9

A



888888



255709



205837

B



255752



215138



210450

C



215137



029344



029513

D



255638



029473



215127

10

11

12

A



028225



029343



215123

B



215143



212114



008800
*

C



028568



215128



029345

D



029294



008802
*



099070
*



TANGIBLE BEIGE
029293



SEALING BARUFFA
888888



DEEP BLUE
029294

INDEX

* 001205 1B	029512 4C	215127 9D
* 008800 12B	029513 9C	215128 11C
* 008802 11D	099054 1A	215129 1D
027919 2D	* 099070 12D	215134 5A
028077 6C	205837 9A	215137 7C
028225 10A	210450 9B	215138 8B
028512 4D	210720 6D	215141 6B
028568 10C	211838 5D	215143 10B
029162 2C	211924 1C	255638 7D
029293 3A 	212114 11B	255673 5B
029294 10D 	215114 3B	255709 8A
029342 4A	215116 3D	255747 6A
029343 11A	215118 2A	255752 7B
029344 8C	215119 4B	255753 5C
029345 12C	215121 3C	290744 2B
029473 8D	215123 12A	888888 7A 