

MIRAGE

Nm. 2/60

70% (WV) LANA MERINO ULTRAFINE RWS (17,5 µ)
30% (PR) BREWED PROTEIN™ FIBER | SPIBER

IMPIEGO OTTIMALE

Nm. 2/60

Rettilinea Finezza 16-18

1 Capo

MIRAGE HT

Nm. 2/60

70% (WV) LANA MERINO ULTRAFINE RWS (17,5 µ)
30% (PR) BREWED PROTEIN™ FIBER | SPIBER

IMPIEGO OTTIMALE

Nm. 2/60

Rettilinea Finezza 16-18

1 Capo

ULTRA MIRAGE

Nm. 2/60

50% (WV) LANA MERINO ULTRAFINE RWS (15,5 µ)
50% (PR) BREWED PROTEIN™ FIBER | SPIBER

IMPIEGO OTTIMALE

Nm. 2/60

Rettilinea Finezza 16-18

1 Capo

FINISSAGGIO

Dettagli di finissaggio sono disponibili su richiesta.

QUANTITÀ OTTIMALI

Colori disponibili: a partire da 1 kg.

Quantità minima ordinabile 20 kg.

Le informazioni sui minimi sono disponibili sulla scheda tecnica.

SOLIDITÀ COLORI:

CONFORMITÀ NORMATIVA REACH

CONFORMITÀ NORMATIVA GB 18401

(Categoria B: prodotti a contatto diretto con la pelle)

PER USO IN RIGATO CON COLORI CONTRASTANTI
RICHIEDERE SOLIDITÀ SPECIFICA.

I colori possono subire un naturale viraggio dall'originale, a seconda dei tempi di esposizione a luci o calore.

Eventuali esigenze particolari, inclusa lavorazione a capo integrale, andranno specificate all'atto dell'ordine.

Qualora venga confermato un difetto del filo, non saranno riconosciuti danni per quantità smaccinate oltre il 10% in peso della quantità consegnata.

MIRAGE

Nm. 2/60

70% (WV) ULTRAFINE MERINO WOOL RWS (17,5 µ)
30% (PR) BREWED PROTEIN™ FIBER | SPIBER

IDEAL KNITTING

Nm. 2/60

Flat Machine 16-18

1 Ply

MIRAGE HT

Nm. 2/60

70% (WV) ULTRAFINE MERINO WOOL RWS (17,5 µ)
30% (PR) BREWED PROTEIN™ FIBER | SPIBER

IDEAL KNITTING

Nm. 2/60

Flat Machine 16-18

1 Ply

ULTRA MIRAGE

Nm. 2/60

50% (WV) ULTRAFINE MERINO WOOL RWS (15,5 µ)
50% (PR) BREWED PROTEIN™ FIBER | SPIBER

IDEAL KNITTING

Nm. 2/60

Flat Machine 16-18

1 Ply

FINISHING

Finishing details are available on request.

IDEAL QUANTITIES

Available colours: starting from kg. 1 each

Minimum order quantity kgs. 20.

Information regarding minimum quantities is available in the technical data sheet.

COLOURS FASTNESS:

REACH REGULATION

GB 18401 REGULATION COMPLIANCE

(Category B: products directly in contact with the skin)

IN CASE OF STRIPED OR CONTRAST KNITWEAR A
SPECIFIC DYEING FASTNESS MUST BE ASKED.

Colours may fade naturally from their original shade depending on their exposure to light or heat.

Any other special need should expressly requested, included seamless knitwear info.

If it's confirmed as a yarn defect, we will not accept any claims for any knitted quantity over 10% of the delivered weight.



ID Nr. 4S-100277



70% RWS Wool
Certified by ICEA | ICEA-TX-741



50% RWS Wool
Certified by ICEA | ICEA-TX-741



1

2

3

A



099054



001205



029811

B



029293



029865



028575

C



029011



027815



029526

D



029962



785367



785371

4

5

6

A



027590

785368



028214

B



028517

028102



027387

C



028709

888888



026994

D



058623

217765



028978

7

8

9

A



216995



029237



029294



B



205832



029527



216836

C



216134



029866



029528

D



029529



008800



099070



TANGIBLE BEIGE
029293



SEALING BARUFFA
888888



DEEP BLUE
029294

INDEX

001205 2A	029011 1C	058623 4D
● * ■ 008800 8D	029237 8A	099054 1A
026994 6C	029293 1B	099070 9D
027387 6B	029294 9A	205832 7B
027590 4A	029526 3C	216134 7C
027815 2C	029527 8B	216836 9B
028102 5B	029528 9C	216995 7A
028214 6A	029529 7D	217765 5D
028517 4B	029811 3A	785367 2D
028575 3B	029865 2B	785368 5A
028709 4C	029866 8C	785371 3D
028978 6D	029962 1D	888888 5C